

FLEXO ADDITIVES

Description	UV Flexo LUNA	UV Flexo AURA+	Details
Liquid Reducer	AD131	AD131	Use as required to lower the viscosity and tack of inks and varnishes. Use to a maximum of 10%.
Cure Promoter (Colours only)	AD262	AD226	Used to improve the cure of coloured inks. Do not use in clear coatings, whites or tints. An add of 2-3% should be sufficient.
Cure Promoter	AD202	AD234	Used to improve the cure of whites, clear coatings and tints. An add of 2-3% should be sufficient.
Slip Additive	AD317	AD317	Used to improve the tape adhesion of inks or varnishes. Do not use in systems intended for foil blocking, overprinting or gluing. An add of 0.5-2.0% should be sufficient. Add to subsequent colours used in the process for trapping purposes.
Levelling Additive	AD325	AD325	Used to improve the lay of one ink on top of another. Can be used to improve lay of the ink on difficult substrates. Do not use in systems intended for foil blocking, overprinting or gluing. An add of 0.5-2.0% should be sufficient.
De-Foamer	AD346	AD346	Used to remove excess surface foam. An add of 0.1-1.0% should be sufficient.
Blister Pack Solution	AD416	AD416	Used to promot good adhesion and print for blister pack applications without the need of a primer or over lacquer. Can be used in the LUNA and AURA+ systems. An add of 7% is the optimum amount.